FORM MR-SMO (Revised 2/88)

For Division Use:

File No.: DOGM Lead: 5/039/003 H. Shepher

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203
(801) 538-5340

OIL, GAS & MINING

## NOTICE OF INTENTION TO COMMENCE SMALL MINING OPERATIONS

The informational requirements of this form are based on provisions of the Mined Land Reclamation Act, Title 40-8, Utah Code Annotated 1953, as amended, and the General Rules as promulgated under the Utah Minerals Regulatory Program.

"Small Mining Operations" means mining operations which disturb five or less surface acres at any given time.

I. GENERAL INFORMATION (Rule R613-003-104)

	Name of Claim/Mine: Fream Time Claim			
2.	Name of Operator/Applicant: Ton R (ovale- Company () Corporation () Partnership () Individual (x)			
3.	Permanent Address: 2402 Bronoview CT.  City: State: UT Zip Code: 84092  Telephone Number: (801) 571-6558			
4.	Ownership of Land Surface:			
Private (Fee)   Public Domain (BLM)   National Forest (USFS)				
State of Utah  X  Other:				
5.	Ownership of Minerals:			
Priv	ate (Fee)   Public Domain (BLM)   National Forest (USFS)   National Forest (USFS)			
Stat	e of Utah 🔀 Other:			

		Utah Mining Claim Number(s)
		Ultab State Lease Number(a) Mil 1/23 CV
		Utah State Lease Number(s) ML 43391
	6.	Have the above owners been notified in writing? Yes No  If no, why not?
	7.	Does the operator have legal right to enter and conduct mining operations on the land covered by this notice? Yes No
II.	PRO	JECT LOCATION & MAP (Rule R613-003-105)
	1.	Project Location: County(ies): SAN PETE - BSLS  1/4, 1/4: Section: 16 Township: 19 S Range: 2 E  1/4, 1/4: Section: Township: Range: 1/4, 1/4: Section: Township: Range: NEYNWY
	2.	A topographic base map showing the location of the proposed small mining operation must be submitted with this notice. A USGS 7.5 minute series map is preferred. The areas to be disturbed should be plotted in sufficient detail so that they can be located on the ground. It is recommended that the operator also plot and label any previous disturbances in the immediate vicinity that he is not responsible for.
III	. OPEI	RATION PLAN (Rule R613-003-106)
1.	Туре	of mining: Surface   Underground
		ral(s) to be mined: Common VARIETY OF BUILDING STONE (LIME)
3.	Proving proce	ide a brief description of the proposed mining operation and onsite essing facilities. AN OPEN PIT LESS THAN TO YARDS TO VAROS SQUARE, THE STONE TO BE TORN LOOSE THE SLABS WHICH ARE 6 TO 10 PHES THES THERE WILL BE DRIVED PLUE-GED AND SEATHELED AND SPLIT INTO BUILDING STONE OR SIGHT.
	New F	Road(s): Length(ft) Width(ft) NO NEW ROADS
		project surface acreage to be disturbed _/_/6_ (acres)

## IV. OPERATION AND RECLAMATION PRACTICES (Rule R613-003-107 & 108)

The reclamation and operation obligation is to keep the area clean and safe, minimize hazards to public safety, return the land to a useful condition, and reestablish at least 70 percent of the premining vegetative ground cover. To accomplish this, the operator will need to perform reclamation concurrently, or at the completion (within one (1) year) of mining:

- Keep the mining operation in a safe, clean, and environmentally stable condition.
- Permanently seal all shafts and tunnels to prevent unauthorized or accidental entry.
- 3. Plug drill holes with a five foot cement surface plug. Holes that encounter fluids are to be plugged in the subsurface to prevent aquifer contamination.
- Construct berms, fences, or barriers, when needed, above highwalls and excavations.
- Remove, isolate, or neutralize all toxic materials in a manner compatible with federal and state regulations.
- 6. Remove all waste or debris from stream channels.
- 7. Dispose of any trash, scrap metal, wood, machinery, and buildings.
- Conduct mining activities so as to minimize erosion and control sediment.
- Reclaim all roads that are not part of a permanent transportation system.
- 10. Stockpile topsoil and suitable overburden prior to mining.
- 11. Stabilize highwalls by backfilling or rounding to 45 degrees or less, where feasible; reshape the land to near its original contour, and redistribute the topsoil and suitable overburden.
- Properly prepare seedbed to a depth of six inches by ripping, discing, or harrowing.
- 13. Reseed disturbed areas with adaptable species. (The Division recommends seeding 20 lbs./acre of native and introduced species of grass, forb, and browse seed, and will provide a specific species list if requested.)

	14. Plant the seed with a rangeland or farm drill, or if broadcast seeded, harrow or rake the seed 1/4-1/2 inch into the soil - fall is the preferred time to seed. (The Division also recommends broadcast fertilization at the time of seeding of 200 lbs./acre of diammonium phosphate 18-46-0.)
۷.	VARIANCE REQUEST (Rule R613-003-109)
	Yes   No   No   No   No   No   No   No   N
	Any planned deviations from Rules R613-003-107, Operation Practices, R613-003-108, Hole Plugging Requirements, or R613-003-109, Reclamation Practices, as summarized above, should be identified below and justification given for the variance request(s).
	Item Number Variance Request Justification
VI.	SIGNATURE REQUIREMENT
	I hereby commit to the reclamation of the aforementioned exploration project as required by the Utah Mined Land Reclamation Act (40-8) and the rules as specified by the Board of Oil, Gas and Mining.
	Signature of Operator/Applicant:  Name (typed or print):  Title/Position (if applicable):  Date:

